



COMPONENT LIST

CL-i5s Rev. 1.3


**The Pro Spot i5s comes with below listed parts except for parts listed as "Optional"

PRO SPOT

ORDER ONLINE @store.prospot.com

Double Side Gun

- 90-2362** Shaft Protector Ring, i5s
- 90-2480** Electrode Shank, Tapered End Q-Connect, 4ct
- 90-2377** Shank Protector Ring, i5s
- 52-0093** O-Ring, #112, BUNA-N



SA-0843: Ergo Lift Assist™



PS-004 Cap Removal Tool



220V **400V**

i5s Serial #








Checked by:

SHIPPING DATA:
Dimensions: 47"x40"x60"
Weight: 470lbs



i5s ACCESSORY KIT

SA-0760 Rev.A

	<p>CLT-58A Allen Wrench - 5mm</p>  <p>1 pc.</p>	<p>52-0086 O-Ring - Arm Side</p>  <p>5 pc.</p>	<p>52-0093 O-Ring - Gun Side</p>  <p>5 pc.</p>
<p>90-2362 Shaft Protector Ring, i5s</p>  <p>2ea</p>	<p>S-617 Screw, FHMS, M6 X 12MM, Brass 1ea</p>  <p>1 pc.</p>	<p>90-1385 Wheelhouse Electrode Washer Ø1.394"</p>  <p>1ea</p>	<p>52-0032 O-Ring - ARM WATER FITTING</p>  <p>5 pc.</p>
<p>90-2377 Shank Protector Ring, i5s</p>  <p>2ea</p>	<p>PS-038 Weld Cap, 3/8" Full Domed 4RW Female, Honda Approved</p>  <p>2ea</p>	<p>PS-036 Weld Cap, 4RW, .375" Radius, Male</p>  <p>2ea</p>	<p>PS-032 Weld Cap, 4RW, .375" Radius, Female</p>  <p>6ea</p>



COMPONENT LIST

CL-i5s Rev. 1.3

**The Pro Spot i5s comes with below listed parts except for parts listed as "Optional"

PRO SPOT

ORDER ONLINE @store.prospot.com

50-2010 Weld Coupon, 2"x10"
18 Gauge Steel



2ea

80-0001 Protective Cover




1ea

SA-0632 Cable Hanger




2ea

PSW-080 C-ARM, 80mm Depth
1ea



1. **90-1711** Divider
2. **52-0086** O-ring
3. **90-1710** Screw-In Shank
4. **PS-0032** Weld Cap



SA-0616

PSW-WH-090
Wheelhouse Arm, 90mm Depth
1ea



1. **52-9029** Washer
2. **90-0416** Screw-In Shank
3. **PS-1135** Weld Washer
4. **S-617** Cap Screw




PS-1135S

PSW-520
Extension Arm,
520mm Depth
1ea



1. **90-1726** Divider
2. **52-0086** O-ring
3. **90-1717** Screw-In Shank
4. **PS-0032** Weld Cap



SA-0618

OPTIONAL

85-0018 (Shunting Plier)



PSW-406 406mm Extension Arm



PSW-600 600mm Extension Arm



DRESSER (See table on page 3
for part numbers)



Tip Dresser

CX-i5s
C-X Arm



CXL-i5s
C-X Arm XL



Blade(See table on page 3
for part numbers)





COMPONENT LIST

CL-i5s Rev. 1.3


**The Pro Spot i5s comes with below listed parts except for parts listed as "Optional"



ORDER ONLINE @store.prospot.com

OPTIONAL

4RW Weld Caps (Standard)



Cap Image										
Cap No.	PS-024 Male	PS-025 Female	PS-039 Male	PS-038 Female		PS-022 Female	PS-035 Male	PS-023 Female	PS-036 Male	PS-032 Female
Shape	A-Cap		Honda Cap			B-Cap	F-Cap		.375 Radius	
Dresser	PLT-50/A		PLT-44/A			PLT-48/A	PLT-49/A		PLT-46/A	
Blade	PLT-29		50-9038			50-9032	50-9031		50-9025	
Chuck	PLT-02		PLT-02			PLT-02	PLT-02		PLT-02	
Ring	PLT-03		PLT-03			PLT-03	PLT-03		PLT-03	
Nut	PLT-01		PLT-01			PLT-01	PLT-01		PLT-01	
Tip Dresser	PLT-29ED		82-0038			82-0032	82-0031		82-0025	



Dresser comes with pneumatic drill and sharpener



Tip Dresser comes with blade as ordered (see above chart for proper dresser)

NOTE: 4RW and 5RW tip dresser housings are the same, with only the blade and "ring" being the difference between the versions. To change a 4RW to a 5RW, or vice versa, the proper ring has to be installed. PLT-03 is for 4RW caps and PLT-04 is for 5RW caps.